

ASSAY TABLE

SEVENTYMILE PROJECT - 2020 ROTARY AIR BLAST ("RAB") DRILL RESULTS

Prospect	Drill Hole	From (m)	To (m)	Weighted Grade (g/t Au)	Width (m)*
Flanders	SMRB20-001	6.10	19.81	0.32	13.72
		32.00	35.05	0.29	3.05
		38.10	41.15	0.45	3.05
		45.72	50.29	0.42	4.57
		62.48	65.53	0.29	3.05
		94.49	97.54	0.40	3.05
		114.30	117.35	0.35	3.05
	SMRB20-002	57.91	62.48	0.82	4.57
		97.54	108.20	0.38	10.67
	SMRB20-003	24.38	25.91	0.29	1.52
		35.05	36.58	0.22	1.52
		51.82	54.86	0.28	3.05
		106.68	112.78	0.40	6.10
	SMRB20-004	No significant intersections.			
	SMRB20-005	No significant intersections.			
	SMRB20-006	50.29	51.82	0.24	1.52
		59.44	60.96	0.25	1.52
		67.06	68.58	0.27	1.52
	SMRB20-007	13.72	44.20	0.62	30.48
		96.01	117.35	0.42	21.34
		126.49	128.02	0.24	1.52
		141.73	144.78	0.32	3.05
		160.02	175.26	0.45	15.24
		179.83	182.88	0.43	3.05
		190.50	195.07	0.43	4.57
	SMRB20-008	22.86	24.38	0.24	1.52
	SMRB20-009	48.77	56.39	0.50	7.62
		60.96	62.48	0.40	1.52
		65.53	67.06	0.24	1.52
		77.72	79.25	0.39	1.52
		85.34	92.96	0.25	7.62
		105.16	109.73	1.20	4.57
128.02		129.54	0.32	1.52	
SMRB20-010	135.64	138.68	1.30	3.05	
	156.97	169.16	0.50	12.19	
East Flanders	SMRB20-011	22.86	27.43	0.78	4.57
		74.68	76.20	0.34	1.52
	SMRB20-012	No significant intersections.			
SMRB20-013	13.72	19.81	0.63	6.10	

Prospect	Drill Hole	From (m)	To (m)	Weighted Grade (g/t Au)	Width (m)*
		32.00	33.53	0.24	1.52
		47.24	48.77	0.21	1.52
Bonanza	SMRB20-014 including	161.54	181.36	1.37	19.81
		170.69	175.26	3.01	4.57
	SMRB20-015	10.67	12.19	0.49	1.52
		22.86	28.96	0.49	6.10
		32.00	42.67	0.36	10.67
Flume-Bonanza	SMRB20-016	No significant intersections.			
	SMRB20-017	16.76	30.48	0.44	13.72
		155.45	161.54	2.07	6.10
	SMRB20-018	38.10	39.62	0.30	1.52
	SMRB20-019	No significant intersections.			
SMRB20-020	No significant intersections.				
Flume	SMRB20-021	No significant intersections.			
	SMRB20-022	No significant intersections.			
	SMRB20-023	No significant intersections.			
Deep Creek	SMRB20-024	No significant intersections.			
Flanders	SMRB20-025 including	30.48	36.58	1.51	6.10
		44.20	45.72	0.83	1.52
		67.06	68.58	2.03	1.52
		71.63	77.72	4.38	6.10
		71.63	73.15	12.00	1.52
		83.82	85.34	0.32	1.52
	SMRB20-026	Hole failure due to water contamination.			

*True widths are not known at this time. All widths reported are drilled widths.

Additional notes: "SMRB20" drill hole prefixes equate to 2020 RAB drill holes. RAB drill holes are sampled on 5-foot drill rod lengths and converted to metric for input into the drill database and assay table.