


TECTONIC METALS FLAT GOLD PROJECT

SELECTED CORE INTERVALS



Selected Drill Core Intervals

Drill Hole	Selected (Y/N)	From (m)	To (m)	Interval (m)	Assay (g/t Au)	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	Y	89.3	89.5	0.2	7.57	21.6	10.85	1.72	0.2	8.6	1.1	BD	460
	Y	128.4	128.5	0.1	2.11	121.5	6.92	0.58	0.27	2.1	1.6	BD	103
	N	170.78	170.9	0.12	0.503	390	13.5	0.85	0.25	3.4	0.9	0.02	160
	Y	174.15	174.4	0.25	0.547	253	10.55	0.85	0.27	3.1	1.7	0.01	153
	Y	202.4	202.7	0.3	0.162	91.1	12.35	0.13	0.06	2.2	1.8	BD	37
	Y	231	231.3	0.3	1.5	1640	2090	0.25	0.19	1.3	74.8	0.27	1630
	Y	237.98	238.1	0.12	1.3	872	876	0.51	0.13	3.9	29.7	0.23	306
	Y	239.85	240.03	0.18	1.12	955	106.5	0.27	0.12	2.3	2.6	0.22	417
	Y	263	263.5	0.5	1.025	3270	362	0.29	0.11	2.6	7.1	0.2	113
	Y	275.39	276.33	0.94	6.46	969	1225	5.61	0.77	7.3	42.2	0.14	288
	Y	277.18	278.13	0.95	0.492	485	291	0.31	0.1	3.1	5.2	0.07	382

Drill Hole	Selected (Y/N)	From (m)	To (m)	Interval (m)	Assay (g/t Au)	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-002	Y	47.6	48	0.4	0.269	634	9.1	0.34	0.08	4.3	3.4	0.14	852
	Y	"	"	"	0.255	253	15.85	0.3	0.06	5.0	5.0	0.01	834
	Y	106.5	107.1	0.6	6.28	207	25.4	3.33	0.32	10.4	2.8	0.07	429
	N	122.78	123.5	0.72	0.138	321	23.7	0.18	0.08	2.3	1.9	0.04	293
	N	"	"	"	0.095	271	17.5	0.13	0.06	2.2	1.4	0.01	270
	Y	161.78	162.5	0.72	0.611	120	9.11	0.48	0.12	4.0	1.2	BD	54
	Y	"	"	"	0.398	226	21.1	0.41	0.1	4.1	2.4	0.06	62

Drill Hole	Selected (Y/N)	From (m)	To (m)	Interval (m)	Assay (g/t Au)	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-003	Y	106.2	106.8	0.6	1.1	219	12.5	7.09	2.06	3.4	0.9	0.01	113
	N	126.8	127.1	0.3	0.197	136	5.33	0.29	0.08	3.625	2.5	BD	65

Composite Intervals

Drill Hole		From (m)	To (m)	Length (m)	Au (g/t)
CMD23-001	entire hole	5.40	428.55	423.15	0.41
	including	17.00	53.00	36.00	0.61
	or	36.30	38.25	1.95	5.37
	including	64.01	90.00	25.99	0.55
	or	89.00	90.00	1.00	7.67
	including	112.02	118.00	5.98	1.24
	including	150.00	181.62	31.62	0.47
	including	220.10	367.00	146.90	0.61
	or	220.10	221.00	0.90	5.02
	or	258.64	295.96	37.32	1.02
	or	279.43	281.48	2.05	5.72
	or	310.63	311.33	0.70	5.40

Drill Hole		From (m)	To (m)	Length (m)	Au (g/t)
CMD23-002	entire hole	4.27	352.65	344.61	0.36
	including	92.00	262.00	170.00	0.53
	or	106.50	107.85	0.75	6.28
	or	161.54	198.00	36.46	1.22
	or	172.00	175.00	3.00	3.23
	or	180.00	182.00	2.00	3.03
	or	194.00	196.00	2.00	4.05
	or	261.00	262.00	1.00	6.09

Drill Hole		From (m)	To (m)	Length (m)	Au (g/t)
CMD23-003	entire hole	3.52	134.12	130.50	0.30
	including	9.45	26.80	17.35	0.59
	and	93.00	111.00	17.00	0.65
	and	117.00	120.50	3.50	0.65

THE FLAT GOLD SYSTEM: SIX DISTRICT SCALE INTRUSION TARGETS

PART OF A 20 KM "STRING-OF-PEARLS" GEOPHYSICAL ANOMALY



6 KM-SCALE INTRUSION TARGETS

PRIMARY TARGET

Chicken Mountain

- Bulk open pit heap leach opportunity

Flat






Figure 1: 2023 Drill Program Plan Map Denoting Long Sections A-A', B-B' & C-C'




Figure 2: Chicken Mountain Long Section A-A' Highlighting Potential Open-Pit, Multi-Million Ounce Opportunity.

1.8 km of Mineralized Strike to a Vertical Depth of 300 m and Open (Referenced in Figure 1 Plan Map Long Section A-A')




Figure 3: Long Section of 2023 and Historic Drilling at Chicken Mountain from B-B'

(Referenced in Figure 1 Plan Map Long Section B-B')





Figure 4: Long Section 2023 and Historic Drilling at Chicken Mountain from C-C'


(Referenced in Figure 1 Plan Map Long Section C-C')

FLAT CMD23-001

DISPLAY CORE INTERVALS



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	89.3	89.5	0.2	7.57	21.6	10.85	1.72	0.2	8.6	1.1	BD	460




Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	128.4	128.5	0.1	2.11	121.5	6.92	0.58	0.27	2.1	1.6	BD	103



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	174.15	174.4	0.25	0.547	253	10.55	0.85	0.27	3.1	1.7	0.01	153



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	202.4	202.7	0.3	0.162	91.1	12.35	0.13	0.06	2.2	1.8	BD	37



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	231	231.3	0.3	1.5	1640	2090	0.25	0.19	1.3	74.8	0.27	1630

PROJECT FLAT
HOLE ID CMD23-001
BOX 81-82
FROM - TO 226.83-232.34




Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	237.98	238.1	0.12	1.3	872	876	0.51	0.13	3.9	29.7	0.23	306



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	239.85	240.03	0.18	1.12	955	106.5	0.27	0.12	2.3	2.6	0.22	417



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	263	263.5	0.5	1.025	3270	362	0.29	0.11	2.6	7.1	0.2	113



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	275.39	276.33	0.94	6.46	969	1225	5.61	0.77	7.3	42.2	0.14	288



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-001	277.18	278.13	0.95	0.492	485	291	0.31	0.1	3.1	5.2	0.07	382




FLAT CMD23-002

DISPLAY CORE INTERVALS



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-002	47.6	48	0.4	0.269	634	9.1	0.34	0.08	4.3	3.4	0.14	852
CMD23-002	"	"	"	0.255	253	15.85	0.3	0.06	5.0	5	0.01	834



Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-002	106.5	107.1	0.6	6.28	207	25.4	3.33	0.32	10.4	2.8	0.07	429




Drill Hole	From (m)	To (m)	Interval (m)	Assay/ Au/gt	As (ppm)	Sb (ppm)	Bi (ppm)	Te (ppm)	Bi/Te	W (ppm)	S (%)	Hg (ppm)
CMD23-002	161.78	162.5	0.72	0.611	120	9.11	0.48	0.12	4.0	1.2	BD	54
CMD23-002	"	"	"	0.398	226	21.1	0.41	0.1	4.1	2.4	0.06	62



FLAT CMD23-003

DISPLAY CORE INTERVALS



Drill Hole	Box	From (m)	To (m)	Interval (m)	Interval (ft)	Sample ID	Assay/ Au/gt
CMD23-003	34	106.2	106.8	0.6	1.97	L661508	1.1

